



For a thriving New England

CLF Massachusetts 62 Summer Street
Boston MA 02110
P: 617.350.0990
F: 617.350.4030
www.clf.org

September 16, 2016

James Meehan, President
Meehan Const. Co., Inc.
19 Perry Hill Rd.
Westhampton, MA 01027

James Meehan, Registered Agent
Meehan Const. Co., Inc.
19 Perry Hill Rd.
Westhampton, MA 01027

VIA CERTIFIED MAIL, RETURN RECEIPT REQUESTED

RE: Notice of Violations and Intent to File Suit under the Clean Water Act

To Whom It May Concern:

The Conservation Law Foundation (“CLF”)¹ hereby gives notice to the addressed persons of its intent to file suit pursuant to Section 505 of the Federal Water Pollution Control Act (“Clean Water Act,” “CWA,” or “Act”), 33 U.S.C. § 1365(a), for violations of the Act specified below. This letter constitutes notice pursuant to 40 C.F.R., Part 135 (the “Notice”) to the addressed persons of CLF’s intention to file suit in United States District Court of the District of Massachusetts seeking appropriate equitable relief, civil penalties, and other relief no earlier than 60 days from the postmark date of this Notice letter.

The subject of this action is twofold. First, Meehan Const. Co. Inc. (hereinafter “Meehan Construction”) is discharging stormwater directly associated with the construction sand and gravel site located at 40 Perry Hill Rd., Westhampton, MA 01027 (the “Facility”), to the waters of the United States without a permit, in violation of 33 U.S.C. §§ 1311(a) and 1342(p)(2)(B). Second, Meehan Construction has failed to obtain coverage under any Clean Water Act permit

¹ CLF is a not-for-profit 501(C)(3) organization dedicated to the conservation and protection of New England’s environment. Its mission includes the conservation and protection of the many uses of the waters in and around the Middle Connecticut (Massachusetts) watershed for, among other things, fishing, recreation, boating, scenic/aesthetic, and scientific purposes. CLF’s membership includes people who live in or near the Middle Connecticut (Massachusetts) watershed, and use and enjoy the watershed for recreational, aesthetic, and/or scientific purposes. The interests of CLF’s members are adversely affected by the Facility’s discharges of stormwater pollution to the receiving waters without a permit and in violation of the Clean Water Act.

including the Multi-Sector General Permit² (“MSGP”) adopted by the United States Environmental Protection Agency (“EPA”) for industrial sources of polluted stormwater runoff, and failed to comply with the specific requirements of any such permit, in violation of Sections 402(p)(3)(A) and 402(p)(4)(A) of the CWA, 33 U.S.C. §§ 1342(p)(3)(A) and (p)(4)(A), and 40 C.F.R. §§ 122.26(c)(1) and (e)(1). In addition, Meehan Construction has failed to obtain individual National Pollutant Discharge Elimination System (“NPDES”) permit coverage for the Facility’s process water discharges.

BACKGROUND

The North Branch Manhan River is a waterway within the Middle Connecticut (Massachusetts) watershed. Meehan Construction discharges into the North Branch Manhan River. Thereafter, the North Branch Manhan River flows into the Manhan River (Waterbody ID MA34-11). The Manhan River (Waterbody MA34-11) flows for approximately five miles before flowing into the Connecticut River (Waterbody MA34-04). EPA has designated the Manhan River (Waterbody MA34-11) as a habitat for “fish, shellfish, and wildlife protection and propagation,” “aesthetic value,” and primary and secondary contact recreation.³ EPA has designated the Connecticut River (Waterbody MA34-04) as a habitat for “aquatic life harvesting,” “fish, shellfish, and wildlife protection and propagation,” “aesthetic value,” and primary and secondary recreation.⁴ The use of these waterways for other purposes is not assessed at this time.

EPA has designated the Manhan River (Waterbody MA34-11) as impaired pursuant to Section 303(d) of the Act, 33 U.S.C. § 1313(d), for failure to meet minimum water quality standards.⁵ This segment of the Manhan River is impaired for pathogens (particularly *Escherichia coli*, or *E. coli*). Stormwater is a probable source of impairments in Waterbody MA34-11.⁶

The Manhan River (Waterbody MA34-11) flows into the Connecticut River (Waterbody MA34-04). This segment of the Connecticut River is impaired for pathogens (particularly *Escherichia*

² ENVIRONMENTAL PROTECTION AGENCY, MULTI-SECTOR GENERAL PERMIT FOR STORMWATER DISCHARGES ASSOCIATED WITH INDUSTRIAL ACTIVITY (MSGP) (June 5, 2015), https://www.epa.gov/sites/production/files/2015-10/documents/msgp2015_finalpermit.pdf [hereinafter MSGP].

³ See U.S. ENVTL. PROTECTION AGENCY, 2014 WATERBODY REPORT FOR THE MANHAN RIVER (2014), https://ofmpub.epa.gov/waters10/attains_waterbody.control?p_au_id=MA34-11&p_list_id=MA34-11&p_cycle=2014.

⁴ See U.S. ENVTL. PROTECTION AGENCY, 2014 WATERBODY REPORT FOR CONNECTICUT RIVER (2014), https://ofmpub.epa.gov/waters10/attains_waterbody.control?p_au_id=MA34-04&p_list_id=MA34-04&p_cycle=2014.

⁵ See 33 U.S.C. § 1313(d).

⁶ See U.S. ENVTL. PROTECTION AGENCY, *supra* note 3.

coli, or E. coli) and polychlorinated biphenyls (PCBs) in fish tissue. Stormwater is a probable source of impairments in Waterbody MA34-04.⁷

Stormwater is water from precipitation events that flows across the ground and pavement after it rains or after snow and ice melt.⁸ Industrial activities, such as material handling and storage, equipment maintenance and cleaning, industrial processing, and other operations that occur at industrial facilities, may be exposed to stormwater.⁹ Stormwater from industrial facilities, contaminated with pollutants, is then conveyed into nearby waterbodies.¹⁰

Meehan Construction is required to apply for coverage under a Clean Water Act discharge permit—such as the MSGP—in order to discharge lawfully. Since at least 2010, Meehan Construction has been specifically required to apply for coverage under the MSGP by filing a Notice of Intent (“NOI”) within 90-days after the initial issuance of the MSGP.¹¹ On June 16, 2015, after expiration of the prior permit, the EPA issued a new MSGP requiring all covered facilities to file an NOI for coverage under the 2015 permit.

Meehan Construction has failed to obtain coverage under the MSGP or any other valid authorization, at any time. Therefore, Meehan Construction is operating in violation of the Clean Water Act.

PERSONS RESPONSIBLE FOR ALLEGED VIOLATIONS

Meehan Const. Co., Inc. is the person, as defined by 33 U.S.C. § 1362(5), responsible for the violations alleged in this Notice. Meehan Construction has operated the Facility since at least 1979 and currently advertises as the operator of the Facility, and is registered with the Massachusetts Secretary of the Commonwealth as the operator of the facility.¹² Meehan Construction and its agents and directors—including but not limited to James Meehan, President— have operational control over the day-to-day industrial activities at this Facility. Therefore, they are responsible for managing stormwater at the Facility in compliance with the Clean Water Act.

⁷ See U.S. ENVTL. PROTECTION AGENCY, *supra* note 4.

⁸ See 40 C.F.R. § 122.26(b)(13).

⁹ See 40 C.F.R. § 122.26(b)(14).

¹⁰ See 58 Fed. Reg. 61,146, 61,154 (November 19, 1993).

¹¹ EPA’s Final National Pollutant Discharge Elimination System Multi-Sector General Permit for Stormwater Discharges Associated with Industrial Activity (MSGP) was first issued in 1995 and later reissued in 2000, 2008, and 2015. *See generally* 60 Fed. Reg. 50,804 (Sept. 29, 1995); 65 Fed. Reg. 64,746 (Oct. 30, 2000); 73 Fed. Reg. 56,572 (Sept. 29, 2008); 80 Fed. Reg. 34,403 (June 16, 2015); *see also* MSGP, *supra* note 2, at pts. 1.1–1.2.

¹² See SEC’Y OF THE COMMONWEALTH OF MASS.: CORPS. DIV. BUS. ENTITY SUMMARY: MEEHAN CONST. CO., INC., <http://corp.sec.state.ma.us/CorpWeb/CorpSearch/CorpSummary.aspx?FEIN=0427289> 20 (last visited September 15, 2016).

LOCATION OF THE ALLEGED VIOLATION

The violations alleged in this Notice have occurred and continue to occur at the construction sand and gravel Facility located at 40 Perry Hill Rd., Westhampton, MA 01027.

ACTIVITIES ALLEGED TO BE VIOLATIONS

Meehan Construction has engaged, and continues to engage in “industrial activities” and its operations fall under SIC code 1442, within the meaning of 40 C.F.R. § 122.26(b)(14).¹³ Because the Facility has a primary SIC code of 1442 and discharges stormwater associated with industrial activity, Meehan Construction is required to apply for coverage, obtain coverage, and comply with the requirements of a NPDES permit such as the MSGP. Meehan Construction has failed to take any of these required steps.

Activities at the Facility include, but are not limited to: storing, moving, and processing sand and gravel (exposed aggregate), and other materials outside or otherwise exposing them to the elements; operating and storing heavy machinery and equipment outdoors; and driving vehicles on and off the Facility thereby tracking pollutants off-site. All of these activities at the Facility have contaminated the site with industrial pollutants.

Sand and gravel (exposed aggregate), and other materials; machinery and equipment; and vehicles at the Facility are exposed to precipitation and snowmelt. Precipitation falls on and flows over the sand and gravel piles; machinery and equipment; and vehicles, picking up dust, total suspended solids (TSS), total dissolved solids (TDS), fines, diesel/gas fuel, oil, heavy metals, trash, and other pollutants associated with the Facility’s operations. The polluted runoff is then conveyed off-site into waters of the United States.

In addition, to the extent that Meehan Construction uses water in its industrial processes, including but not limited to washing sand, rock and gravel and spraying water on rock crushing and sorting machinery, that water becomes “process wastewater” (also referred to as “process water”) as defined in 40 C.F.R. § 122.2.¹⁴ Discharges of process wastewater are not covered under the Multi-Sector General Permit for Stormwater Discharges Associated with Industrial Activity. Instead, discharges of process wastewater shall be covered under an individual NPDES permit. CLF intends to pursue claims related to Meehan Construction’s unpermitted discharges of process water to waters of the United States.

¹³ See MSGP, *supra* note 2, at appen. D–J2. Construction sand and gravel facilities identified by the SIC code 1442 are subject to the requirements of the MSGP for stormwater discharges.

¹⁴ Defining “Process wastewater” as “any water which, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, or waste product.”

STANDARDS AND LIMITATIONS ALLEGED TO HAVE BEEN VIOLATED

The Clean Water Act prohibits the discharge of pollutants to the waters of the United States except in accordance with a valid NPDES permit.¹⁵ Meehan Construction discharges stormwater associated with its industrial activity, as defined by 40 C.F.R. § 122.26(b)(14), from its Facility into waters of the United States. Because Meehan Construction has not obtained coverage for these stormwater discharges under the MSGP or an individual NPDES permit, it is illegally discharging stormwater without a permit, in violation of Sections 301(a) and 402(p)(2)(B) of the CWA, 33 U.S.C. §§ 1311(a) and 1342(p)(2)(B).¹⁶ By failing to apply for and comply with the specific requirements of the MSGP, Meehan Construction is in violation of Sections 402(p)(3)(A) and 402(p)(4)(A) of the CWA, 33 U.S.C. §§ 1342(p)(3)(A) and (p)(4)(A), and 40 C.F.R. §§ 122.26(c)(1) and (e)(1). In addition, unpermitted discharges of process wastewater constitute violations of 33 U.S.C. § 1311(a). As a result, CLF gives Meehan Construction notice that CLF intends to pursue claims related to Meehan Construction's unpermitted discharges of process wastewater to waters of the United States.

a. Meehan Construction is discharging stormwater to waters of the United States without a permit.

Meehan Construction is an industrial discharger with a primary SIC code of 1442 which means that pursuant to Section 402(p) of the Act, Meehan Construction is obligated to apply for coverage under the MSGP or obtain other legal authorization. Because Meehan Construction has operated and continues to operate without a permit under Section 402(p), Meehan Construction is in violation of Section 301(a) of the Act.

In addition, during storm events, Meehan Construction's "industrial activities" at its Facility have resulted in a "discharge of pollutants" within the meaning of 33 U.S.C. § 1362(12) and "stormwater discharge associated with industrial activity" within the meaning of 40 C.F.R. § 122.26(b)(14), from its Facility on each and every day that there has been a measurable precipitation event of above 0.1 inches.¹⁷ There have been many such storm events since 1979. The Facility is generating pollutants from and through at least the following point sources: the sand, gravel, and various other material piles that are open to the elements; the machines and

¹⁵ 33 U.S.C. § 1311(a).

¹⁶ See 33 U.S.C. § 1362(12); 40 C.F.R. § 122.2; see also MSGP, *supra* note 2, at appen. A (defining the term "discharge of a pollutant" as, *inter alia*, "any addition of any 'pollutant' or combination of pollutants to 'waters of the United States' from any 'point source'").

¹⁷ See 40 C.F.R. § 122.26(c)(i)(E)(6). EPA has determined that precipitation greater than 0.1 inches in a 24-hour period constitutes a measurable precipitation event for the purposes of evaluating stormwater runoff associated with industrial activity.

equipment left outdoors, and the vehicles driving on and off the Facility, while additionally conveying pollutants through site grading, surface water channels, subsurface hydrological connections, detention ponds, culverts, and other conveyances to the North Branch Manhan River.¹⁸ The North Branch Manhan River flows into the Manhan River, which thereafter flows into the Connecticut River. The Connecticut River eventually flows to the Atlantic Ocean. All of the aforementioned waterbodies are “waters of the United States,” as defined in 40 C.F.R. § 122.2, and therefore, “navigable waters,” as defined in 33 U.S.C. § 1362(7). The Facility is discharging this industrial stormwater without the permit required under Section 402 of the Act, 33 U.S.C. § 1342.

b. Meehan Construction is discharging process water to waters of the United States without a permit.

Wastewater associated with industrial processes, including, but not limited to, washing materials and paved surfaces and spraying machinery, is classified as “process wastewater” under the federal Clean Water Act and as defined in 40 C.F.R. § 122.2. Wastewater produced by washing materials and paved surfaces and spraying machinery can contain a variety of pollutants, including detergents, oil, grease, heavy metals, and other pollutants associated with the Facility’s operations. In addition, solids suspended or dissolved in washwater can pollute ground and surface waters. Process wastewater can have severe and long-term impacts on aquatic environments.

Discharges of process water that result from washing materials and paved surfaces and spraying machinery are not covered under the MSGP. Discharges of process wastewater must instead be covered under an individual NPDES permit. Meehan Construction does not have an individual NPDES permit authorizing the discharge of process wastewater to waters of the United States. CLF intends to pursue claims related to Meehan Construction’s unpermitted discharges of process water to waters of the United States, namely the North Branch Manhan River.

c. Meehan Construction is violating the Clean Water Act by failing to obtain coverage and failing to comply with the requirements of the MSGP.

Meehan Construction is violating 33 U.S.C. §§ 1342(p)(3)(A) and (p)(4)(A), and 40 C.F.R. §§ 122.26(c)(1) and (e)(1), by failing to apply for, obtain coverage, and comply with the

¹⁸ These discharges constitute “point sources” as defined by 33 U.S.C. § 1362(14) and 40 C.F.R. § 122.2. Specifically, CLF puts Meehan Construction on notice that the unpermitted stormwater discharges associated with industrial activity include discharges from the Facility areas specified in 40 C.F.R. § 122.26(b)(14). *See also* 40 C.F.R. § 122.2 (stating that the definition of “discharge of a pollutant” “includes additions of pollutants into waters of the United States from: surface runoff which is collected or channeled by man[.]”).

requirements of the MSGP.¹⁹ The Facility has a primary SIC code of 1442 and must obtain coverage under the MSGP for its stormwater discharges and for stormwater discharges from any co-located industrial activities.²⁰ Meehan Construction's failure to obtain coverage and comply with the permit is in violation of the MSGP and Section 402, 33 U.S.C. § 1342(p) of the Clean Water Act.²¹

1) Meehan Construction Must Develop and Implement a Stormwater Pollution Prevention Plan (SWPPP).

As a prerequisite to applying for coverage under the MSGP, Meehan Construction must develop and implement a Stormwater Pollution Prevention Plan ("SWPPP").²² The SWPPP must include, but is not limited to, the following: information related to a company stormwater pollution prevention team, a site description, a summary of pollutant sources, a description of control measures, and schedules and procedures pertaining to control measures and monitoring.²³ Meehan Construction has failed to develop and implement a SWPPP in accordance with the MSGP requirements in violation of the MSGP and Section 402(p) of the Clean Water Act, 33 U.S.C. § 1342(p).

2) Meehan Construction Must Submit to EPA a Complete Notice of Intent to be Covered under the MSGP.

To be eligible to discharge under the MSGP, Meehan Construction must submit a complete Notice of Intent ("NOI") to the EPA.²⁴ To complete the NOI, Meehan Construction is required to determine whether the body of water to which the stormwater discharges is an "impaired" water body, and whether the Facility discharges any specific pollutants listed on the NOI to that water body.²⁵ Although the North Branch Manhan River is not classified as an "impaired" water, downstream receiving waterbodies including the Manhan River (Waterbody MA 34-11), are classified as impaired.²⁶ Additionally, as part of preparing the NOI, the covered Facility must make certain verifications such as ensuring that no harm is done to a species in violation of the Endangered Species Act.²⁷ Meehan Construction has failed to prepare and file an NOI meeting all applicable requirements in violation of the MSGP and the Clean Water Act, 33 U.S.C. § 1342(p).

¹⁹ See MSGP, *supra* note 2, at pts. 1.1–1.2.

²⁰ *Id.* at pts. 1.1, 8.J.

²¹ A thorough search of EPA's databases indicates that Meehan Construction has not filed an NOI for the Facility.

²² See MSGP, *supra* note 2, at pt. 5.

²³ *Id.* at pt. 5.2.

²⁴ *Id.* at pt. 1.2.

²⁵ *Id.* at pt. 2.2.2.

²⁶ See U.S. ENVTL. PROTECTION AGENCY, *supra* note 3.

²⁷ See MSGP, *supra* note 2, at pts. 1.1.4.5, 2.3.

3) Meehan Construction Must Take Control Measures and Meet Water-Quality Effluent Limitations.

To be eligible to discharge under the MSGP, Meehan Construction must select, design, install, and implement control measures (including best management practices) to prevent polluted stormwater discharges from reaching nearby waterbodies. Meehan Construction must address the selection and design considerations in the permit, meet the non-numeric effluent limitations in the permit, and meet limits contained in applicable permit effluent limitations guidelines.²⁸ These control practices must be in accordance with good engineering practices and manufacturer's specifications.²⁹ If the control measures are not achieving their intended effect of minimizing pollutant discharges, the permittee must modify these control measures as expeditiously as practicable.³⁰ Meehan Construction has failed to cover the materials and operations that may result in polluted stormwater runoff. Meehan Construction has not implemented the required control measures in violation of the MSGP and Section 402(p) of the Clean Water Act, 33 U.S.C. § 1342(p).

4) Meehan Construction Must Conduct Routine Facility Inspections.

To be eligible to discharge under the MSGP, Meehan Construction must conduct routine inspections of all areas of the Facility where industrial materials or activities are exposed to precipitation, and must ensure that all stormwater control measures comply with the effluent limits contained in the MSGP.³¹ Routine inspections must be conducted at least quarterly, but in many instances, monthly inspections are most appropriate.³² These inspections must occur when the Facility is in operation.³³ The schedule of these inspections must be included in the Facility's SWPPP and be performed by qualified personnel.³⁴ Meehan Construction has failed to conduct the required routine inspections in accordance with the MSGP requirements in violation of the MSGP and Section 402(p) of the Clean Water Act, 33 U.S.C. § 1342(p).

5) Meehan Construction Must Comply with the Required Monitoring and Sampling Procedures.

To be eligible to discharge under the MSGP, Meehan Construction must collect and analyze stormwater samples and document monitoring activities consistent with the procedures in the

²⁸ See MSGP, *supra* note 2, at pt. 2.1.

²⁹ *Id.*

³⁰ *Id.*

³¹ *Id.* at pt. 3.1.

³² *Id.*

³³ *Id.*

³⁴ *Id.*

MSGP.³⁵ The MSGP requires five types of analytical monitoring (one or more of which may apply) including quarterly benchmark monitoring, annual effluent limitations guidelines monitoring, State or Tribal-specific monitoring, impaired waters monitoring, and other monitoring as required by the EPA.³⁶ An operator must monitor each outfall identified in the SWPPP covered by a numeric effluent limit.³⁷ Required monitoring must be performed after stormwater events that result in an actual discharge on a required schedule.³⁸ All monitoring data collected under the Permit must be reported to EPA. Furthermore, because the Manhan River is an “impaired water” under Section 303(d) of the Clean Water Act, 33 U.S.C. § 1313(d), Meehan Construction must monitor for all pollutants for the Manhan River is impaired.³⁹ Meehan Construction has failed to conduct the required monitoring under the MSGP and has failed to submit the required monitoring reports to EPA in violation of the MSGP and the Clean Water Act, 33 U.S.C. § 1342(p).

6) Meehan Construction Must Carry Out the Required Reporting and Recordkeeping.

Meehan Construction must maintain and submit any and all required monitoring data.⁴⁰ Such monitoring data includes the following: an annual report to EPA which includes the Facility’s findings from the annual comprehensive site inspection and any documentation of corrective actions;⁴¹ an Exceedance Report to the EPA if any of the follow-up monitoring shows any exceedances of a numeric effluent limit;⁴² and any other required reports under the MSGP.⁴³ Meehan Construction has failed to maintain the required records and failed to submit all required monitoring data under the MSGP in violation of the MSGP and Section 402(p) of the Clean Water Act, 33 U.S.C. § 1342(p).

7) Meehan Construction Must Comply with the Requirements of MSGP Subpart 8.J

Meehan Construction must also comply with the sector-specific requirements contained in Subpart J of the MSGP.⁴⁴ Subpart J requires construction sand and gravel facilities to implement additional technology-based effluent limits,⁴⁵ meet additional SWPPP and inspection

³⁵ See MSGP, *supra* note 2, at pt. 6.

³⁶ *Id.* at pt. 6.2.

³⁷ *Id.* at pt. 6.1.1.

³⁸ *Id.* at pt. 6.1.3.

³⁹ *Id.* at pt. 6.2.4

⁴⁰ *Id.* at pt. 7.1

⁴¹ *Id.* at pt. 7.5.

⁴² *Id.* at pt. 7.6.

⁴³ *Id.* at pt. 7.7.

⁴⁴ See MSGP, *supra* note 2, at appen. D , Table D-1, Sector J; pt. 8.J.

⁴⁵ *Id.* at pts. 8.J.4–8.J.5.

requirements,⁴⁶ and monitor stormwater discharges for compliance with the benchmark limitations applicable specifically to construction sand and gravel facilities.⁴⁷ Meehan Construction must also minimize contact of stormwater runoff with sand, gravel, stockpiled materials, processed materials and non-recyclable wastes through various control measures such as permanent or semi-permanent covers or roofs, interceptor or diversion controls (e.g., dikes, swales, curbs, or berms); pipe slope drains; subsurface drains; conveyance systems (e.g., channels or gutters, open-top box culverts, and waterbars; rolling dips and road sloping; roadway surface water deflector and culverts); or their equivalents.⁴⁸ Meehan Construction has failed to comply with the requirements of Subpart J of the MSGP in violation of the MSGP and Section 402(p) of the Clean Water Act, 33 U.S.C. § 1342(p).

DATES OF VIOLATION

Each day on which Meehan Construction operates its Facility without permit coverage or discharges stormwater and/or process water without a permit from the Facility is a separate and distinct violation of Sections 301(a) and 402(p)(2)(B) of the CWA, 33 U.S.C. §§ 1311(a) and 1342(p)(2)(B).

Meehan Construction has discharged stormwater without a permit in violation of Section 301(a) of the CWA, 33 U.S.C. § 1311(a), on every day since at least 2010 on which there has been a measurable precipitation event. Each day on which Meehan Construction operates its Facility without permit coverage or discharges process water without a permit from the Facility is a separate and distinct violation of Section 301(a) of the CWA, 33 U.S.C. §§ 1311(a).

Every day, since at least 2010, on which Meehan Construction has failed and continues to fail to apply for, obtain coverage, and comply with the requirements of the MSGP is a violation of Section 402(p)(3)(A) and (p)(4)(A) of the CWA, 33 U.S.C. §§ 1342(p)(3)(A) and (p)(4)(A).

These violations are ongoing and continuous, and barring a change in the stormwater management controls at the Facility and full compliance with the permitting requirements of the Clean Water Act, these violations will continue indefinitely.

RELIEF REQUESTED

Meehan Const. Co., Inc. is liable for the above-described violations occurring prior to the date of this letter, and for every day that these violations continue. Pursuant to Section 309(d) of the Act, 33 U.S.C. § 1319(d), and the Adjustment of Civil Monetary Penalties for Inflation, 40 C.F.R. § 19.4, each separate violation of the Act subjects Meehan Construction to a penalty up to

⁴⁶ *Id.* at pts. 8.J.6–8.J.7.

⁴⁷ *Id.* at pt. 8.J.8.

⁴⁸ *Id.* at pt. 8.J.5.2.

\$37,500 per day per violation for all violations occurring from January 12, 2009 through November 2, 2015, and \$51,570 for penalties that are assessed on or after August 1, 2016, for violations that occurred after November 2, 2015.⁴⁹ CLF will seek the full penalties allowed by law.

In addition to civil penalties, CLF will seek declaratory relief and injunctive relief to prevent further violations of the Clean Water Act pursuant to Sections 505(a) and (d), 33 U.S.C. § 1365(a) and (d), and such other relief as permitted by law. CLF will seek an order from the Court requiring Meehan Construction to correct all identified violations through direct implementation of control measures and demonstration of full regulatory compliance.

Lastly, pursuant to Section 505(d) of the Act, 33 U.S.C. § 1365(d), CLF will seek recovery of costs and fees associated with this matter.

CONCLUSION

During the 60-day notice period, CLF is willing to discuss effective remedies for the violations noted in this letter that may avoid the necessity of further litigation. If you wish to pursue such discussions, please have your attorney contact Zachary Griefen within the next 20 days so that negotiations may be completed before the end of the 60-day notice period. We do not intend to delay the filing of a complaint in federal court if discussions are continuing at the conclusion of the 60 days.

Sincerely,



Zachary K. Griefen, Esq.
Conservation Law Foundation
15 East State Street, Suite 4
Montpelier, VT 05602
(802) 223-5992 x4011
zgriefen@clf.org

⁴⁹ See 33 U.S.C. §§ 1319(d), 1365(a); 40 C.F.R. §§ 19.1–19.4.



cc:

Gina McCarthy
Administrator
Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

H. Curtis Spalding
Environmental Protection Agency
EPA Region 1 Administrator
5 Post Office Square - Suite 100
Boston, MA 02109-3912

Martin Suuberg, Commissioner
Massachusetts Department of Environmental Protection
One Winter Street
Boston, MA 02108